



PERFORMANCE **LUBRICATION**

LUBRICANTS

AND MAINTENANCE PRODUCTS



CATALOGUE

Automobile, heavy vehicle, agricultural, public works, gardening and forestry machinery

globalracingoil.com



PRODUCT INDEX

<i>AUTOMOBILE ENGINE OILS</i>	<i>6 - 14</i>
--------------------------------------	----------------------

<i>HEAVY VEHICLE ENGINE OILS</i>	<i>15 - 23</i>
---	-----------------------

<i>TRANSMISSION, GEARBOX AND STEERING OILS</i>	<i>24 - 32</i>
---	-----------------------

<i>LUBRICANTS FOR AGRICULTURAL, PUBLIC WORKS, GARDENING AND FORESTRY MACHINERY</i>	<i>33 - 37</i>
---	-----------------------

<i>HYDRAULIC OILS AND GREASES</i>	<i>38 - 44</i>
--	-----------------------

<i>MAINTENANCE PRODUCTS</i>	<i>45 - 53</i>
------------------------------------	-----------------------

GRO is the brand of lubricants, greases and maintenance products for the automotive industry in general, launched in 2000 by COGELSA, a company that develops, manufactures and markets high-tech lubricants and greases. Established more than 100 years ago in the area of Barcelona (Spain), it is present in more than 55 countries and on different continents.

Over the years, the company has accumulated extensive experience in different fields of industrial applications and works closely with various additive suppliers and research institutes to learn about the latest technologies, allowing the R&D teams to formulate special state-of-the-art lubricants.

GRO are high quality products for the automotive industry, designed and developed to meet the highest demands of engines, gearboxes and other mechanisms that require lubrication. Likewise, the maintenance products provide solutions to the rest of a vehicle's needs.

The extensive GRO range meets the standards of the most important associations (API, ACEA, JASO and ISO) and the technical specifications of motor car, motorcycle and heavy goods vehicle manufacturers.

GRO provides reliability to the mechanisms it lubricates, reduces their wear and tear and increases their durability. It also allows the highest performance to be obtained from them, because the particularities of GRO products allow the performance of all lubricated components to be maximized. In engines, reducing friction results in increased power.

GRO recommends driving responsibly.

GRO is recommended by:



GRO products approved by:



Certifications:



Member of:





RANGE OF GRO ENGINE AND TRANSMISSION LUBRICANTS

The renewal and update of the range, which affects engine and transmission lubricants, has been carried out with the following in mind:

- To meet more of the needs of different markets.
- To adjust formulations to create products that better meet manufacturers' specifications.

The range also comes in 1, 4 and 5 litre bottles, which have been designed and produced to:

- Be ergonomically more manageable.
- Improve the emptying of the lubricant.
- Provide greater stability due to its larger base.
- Secure stacking by incorporating 2 support points.
- Facilitate the removal of the bottle from the box, thanks to its new handle.
- Be more environmentally friendly.
- Label more noticeable and descriptive of the product.

Products Advisor




Find here the GRO products
your vehicle needs

LUBRICANTS SUCCESSFULLY USED IN THE MOST SEVERE CONDITIONS

GRO supplies lubricants and maintenance products to numerous top racing teams to meet the highest demands of their vehicles.





AUTOMOBILE ENGINE OILS

100% synthetic automobile engine oils

Synthetic automobile engine oils

Mineral automobile engine oils

100% synthetic automobile engine oils



GRO GX5 A3/B4 5W-40

100% synthetic lubricant for light vehicles

A 100% synthetic high-performance lubricant that offer the best possible performance and protection in the automotive lubricant sector.

It is formulated with the finest and exclusive synthetic bases, exceeding the performance needs of gasoline and diesel engines with or without turbocharger, being especially recommended for competition engines, or for those with severe and intensive use.

ACEA A3, B4 · API SN · BMW LL-01 · MB 229.5 / 226.5 · RN 0700 / 0710 · PORSCHE A40 · PSA 2296 · VW 502 00 / 505 00 · FIAT 9.55535-M2 / N2 / Z2

PACKAGING	CODE	ENVASE	CÓDIGO
1 L · 0.26 gal (US)	9003290	1000 L · 264.17 gal (US)	9003202
5 L · 1.32 gal (US)	9003220		
1000 L · 264.17 gal (US)	9003202		

GRO GX5 A5/B5 5W-30

100% synthetic lubricant for light vehicles

Fully synthetic lubricant based on very high quality base oils and carefully selected, specially designed to meet the requirements of ACEA A5, B5 specifications and Ford WSS M2C 913-D standard.

It is characterized by its improved lubrication capacity and increased fuel economy (~3%).

ACEA A5, B5 · API SL · FORD 913-D · RN 0700 · JAGUAR-LAND ROVER JLR.03.5003 · FIAT 9.55535-G1

PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	9006690	200 L · 52.83 gal (US)	9006636
5 L · 1.32 gal (US)	9006620	1000 L · 264.17 gal (US)	9006602
20 L · 5.28 gal (US)	9006653		



GRO GX5 C2 0W-30

100% synthetic lubricant for light vehicles

100% synthetic lubricant specially formulated for PSA Blue HDi (DW10F) Euro 6 engines, especially for engines equipped with e-HDi that use Stop & Start technologies. This product also has compatibility with gas treatment systems from all manufacturers, both three-way catalysts (TCW) and particulate filters (DPF) that require an ACEA C2 lubricant with SAE 0W-30.

ACEA C2 · API SN · PSA B71 2312 · FIAT 9.55535-DS1 / GS1 · IVECO 18-1811 CLASS SC1

PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	9003690	200 L · 52.83 gal (US)	9003635
5 L · 1.32 gal (US)	9003620	1000 L · 264.17 gal (US)	9003602



GRO GX5 C2/C3 5W-30

100% synthetic lubricant for light vehicles

100% synthetic lubricant with mid SAPS technology, recommended for use in gasoline and diesel engines, with or without turbocharging, in passenger cars and delivery vans with long oil change intervals. Due to its reduced SAPS content, this product can be applied in vehicles with modern three-way catalysts and diesel particulate filters.

ACEA C2, C3 · API SN BMW LL-04 · VW 505 00 / 505 01 · MB 229.52 · GM DEXOS2 · OPEL OV401547 · PSA B71 2290

PACKAGING	CODE
1 L · 0.26 gal (US)	9006990
5 L · 1.32 gal (US)	9006920
20 L · 5.28 gal (US)	9006953

PACKAGING	CODE
50 L · 13.21 gal (US)	9006943
200 L · 52.83 gal (US)	9006935
1000 L · 264.17 gal (US)	9006902

GRO GX5 C3 5W-40

100% synthetic lubricant for light vehicles

Gasoline and diesel light vehicle engines, including supercharged ones, with direct injection (common rail, pump injector) and with particulate filter.

Specially designed for new BMW, Mercedes-Benz and VAG group engines equipped with particle filters, as well as all those manufacturers that require an ACEA C3 level. Recommended for all types of service and especially in severe conditions.

ACEA C3 · API SN GM DEXOS2 · MB 229.51 · RN 0700 / 0710 · BMW LL-04 · VW 505 01 · PORSCHE A40

PACKAGING	CODE
5 L · 1.32 gal (US)	9004420
20 L · 5.28 gal (US)	9004453

PACKAGING	CODE
200 L · 52.83 gal (US)	9004435
1000 L · 264.17 gal (US)	9004402



GRO GX5 C3+ 5W-30

100% synthetic lubricant for light vehicles

Specially formulated to meet the requirements of gasoline and diesel engines that meet the Euro 4 emission reduction standard for almost any VAG group vehicle with long oil change intervals (30,000 km or two years).

Specially designed for small turbocharged gasoline direct injection (TGD) engines to mitigate the effects of low speed pre-ignition (LSPI).

ACEA C3 MB 229.51 · BMW LL-04 · VW 504 00 / 507 00 · PORSCHE C30

PACKAGING	CODE
1 L · 0.26 gal (US)	9005990
5 L · 1.32 gal (US)	9005920
20 L · 5.28 gal (US)	9005953

PACKAGING	CODE
200 L · 52.83 gal (US)	9005935
1000 L · 264.17 gal (US)	9005902



GRO GX5 C4 5W-30

100% synthetic lubricant for light vehicles

100% synthetic low SAPS lubricant specially formulated to exceed the compatibility requirements with the gas treatment systems of all manufacturers (EGR and DPF) where the manufacturer recommends an ACEA C4.

Specially designed for Renault and Nissan group engines equipped with particulate filters that require the RN0720 specification, Mercedes-Benz vehicle engines that require the MB 226.51 specification and, in general, engines of all TYPES of vehicles that require ACEA C4 quality and incorporate particle filters.

ACEA C3, C4 · API SN RN 0720 · MB 226.51 / 229.51 · FIAT 9.55535-S4

PACKAGING	CODE
5 L · 1.32 gal (US)	9007720
200 L · 52.83 gal (US)	9007735

GRO GX5 Ultra+ 5W-50

100% synthetic lubricant for light vehicles

High-performance 100% synthetic lubricant, which presents the highest exponent in performance and protection in the automotive lubricant sector. Formulated with special synthetic bases and tri-ester technology, to achieve the highest performance. The end result is a lubricant with incomparable anti-wear properties with maximum efficiency over a wide temperature range.

ACEA A3, B4 · API SN

PACKAGING	CODE
1 L · 0.26 gal (US)	9005790
1000 L · 264.17 gal (US)	9005702



GRO Origin 504/507 0W-30

100% synthetic lubricant for light vehicles. MB 229.52 approved

100% synthetic fuel economy high performance lubricant specially designed for recent vehicles of the VAG group (Volkswagen, Audi, Skoda, SEAT), equipped with engines complying with Euro 4, 5 and 6 anti-pollution standards and requiring an oil with a low sulphur, phosphorus and sulphated ash content. It complies with MB 229.52 TYPE approval, certifying that it meets the stringent technical and quality requirements set by Mercedes-Benz to ensure superior engine performance.

VW 504.00 / 507.00 · PORSCHE C30 · BMW LONGLIFE-04 · ACEA C3

PACKAGING	CODE
5 L · 1.32 gal (US)	9043173
200 L · 52.83 gal (US)	9043135



GRO Origin 508/509 0W-20

100% synthetic lubricant for light vehicles

High-performance 100% synthetic fuel economy lubricant, specially designed for latest generation VAG group engines where the VW 508 00 509 00 standard is required. Particularly adapted to the latest high-power gasoline and diesel engines from the VW and Audi brand, equipped with post-catalysts (CAT) and particulate filters (FAP or DPF).

VW 508.00 / 509.00 · PORSCHE C20 · ACEA C5

PACKAGING	CODE
5 L · 1.32 gal (US)	9043073
200 L · 52.83 gal (US)	9043035

GRO Origin 948-B 5W-20

100% synthetic lubricant for light vehicles

High-performance 100% synthetic fuel economy lubricant, specially designed for Ford and for manufacturers that require low friction and HTS viscosity oils such as Ford, Jaguar, Land Rover,...

WSS-M2C948-B · STJLR.03.5004 · ACEA C5 · API SP

PACKAGING	CODE
5 L · 1.32 gal (US)	9043220
200 L · 52.83 gal (US)	9043235



GRO Origin 950-A 0W-30

100% synthetic lubricant for light vehicles

High-performance 100% synthetic fuel economy lubricant specifically designed for builders requiring a low friction, low HTS viscosity lubricant and reduced content of sulphated ash, phosphorus and sulphur (mid SAPS).

WSS-M2C950-A · STJLR.03.5007 · ACEA C2

PACKAGING	CODE
5 L · 1.32 gal (US)	9043320
200 L · 52.83 gal (US)	9043335

100% synthetic automobile engine oils



GRO Origin 2312 OW-30

100% synthetic lubricant for light vehicles

High-performance 100% synthetic fuel economy lubricant specially designed for PSA group vehicles (Peugeot and Citroën) equipped with diesel engines (BlueHDi) with SCR and requiring oils approved with PSA B71 2312.

B71 2312 · ACEA C2

PACKAGING	CODE
5 L · 1.32 gal (US)	9044720
200 L · 52.83 gal (US)	9044735

GRO Origin C5/C6 OW-20

100% synthetic lubricant for light vehicles. MB 229.71 approved

100% synthetic high performance fuel economy lubricant, specially formulated to comply with manufacturer's regulations that require a very low viscosity HTHS (High Temperature High Shear) lubricant with a reduced content of sulphated ash, phosphorus and sulphur (mid SAPS). Suitable for latest generation gasoline and diesel engines with Euro 4, 5 and 6 regulations, where the use of a lubricant, grade xW-20 and fuel economy is recommended: ACEA C5, ACEA C6, API SP and/or ILSAC GF-6A. It complies with MB 229.71 TYPE approval, certifying that it meets the stringent technical and quality requirements set by Mercedes-Benz to ensure superior engine performance.

ILSAC GF-6A · STJLR.03.5006 · BMW LONGLIFE-17 FE+ · FORD WSS-M2C947-B1 / WSS-M2C962-A1 · MB 229.71 / 229.72 · OPEL OVO401547 · CHRYSLER MS-12145 · FIAT 9.55535-GSX · ACEA C5, C6 · API SP (RESOURCE CONSERVING)

PACKAGING	CODE
5 L · 1.32 gal (US)	9044520
200 L · 52.83 gal (US)	9044535



GRO Origin DX1 OW-20

100% synthetic lubricant for light vehicles

100% synthetic fuel economy motor oil specially designed for recent gasoline engines, naturally aspirated or turbocharged, with indirect or direct injection. Designed to use oil with low friction and very low HTHS (High Temperature High Shear) viscosity (≥ 2.6 mPa.s).

ILSAC GF-6A · GM DEXOS1 (TM) GEN 3 · CHRYSLER MS 6395 · FORD WSS-M2C947-A/B1 / WSS-M2C962-A1 · FIAT 9.55535-CR1 · GM 6094M · API SP (RESOURCE CONSERVING)

PACKAGING	CODE
5 L · 1.32 gal (US)	9044620
200 L · 52.83 gal (US)	9044635



GRO Origin Hybrid 0W-16

100% synthetic lubricant for light vehicles

100% synthetic fuel economy lubricant specially designed for the engines of hybrid vehicles (HEV) as well as rechargeable hybrids (PHEV) equipped with modern gasoline engines, prepared to use very low viscosity SAE 0W-16 and low viscosity HTHS oils.

ILSAC GF-6B · API SP (RESOURCE CONSERVING)

PACKAGING	CODE
5 L · 1.32 gal (US)	9043920
200 L · 52.83 gal (US)	9043935

GRO Origin RBSO-2AE 0W-20

100% synthetic lubricant for light vehicles

High-performance 100% synthetic fuel economy lubricant, specially designed for latest generation Volvo DRIVE-E gasoline (VEP) and diesel (VED) engines equipped with catalysts and particulate filters (DPF).

VCC RBSO-2AE · ACEA C5 · API SN

PACKAGING	CODE
5 L · 1.32 gal (US)	9044420
200 L · 52.83 gal (US)	9044435





GRO Global Special 10W-40

Synthetic lubricant for light vehicles

Lubricant designed with very high quality synthetic and mineral components for diesel and gasoline engines of cars and vans.

ACEA A3, B4 · API SL MB 229.1 · VW 501 01 / 505 00

PACKAGING	CODE
1 L · 0.26 gal (US)	9005690
5 L · 1.32 gal (US)	9005620
20 L · 5.28 gal (US)	9005656

PACKAGING	CODE
50 L · 13.21 gal (US)	9005644
200 L · 52.83 gal (US)	9005635
1000 L · 264.17 gal (US)	9005602

GRO Global Synt 10W-40

High-performance synthetic lubricant for light vehicles

Extremely special high-performance synthetic lubricant for four-stroke gasoline and diesel engines that offers high lubricant film resistance and great load support.

ACEA A3, B4 · API SN MB 229.3 · PSA 2300 · RN 0700 / 0710 · VW 502 00 / 505 00 · GM-LL-A / B 025

PACKAGING	CODE
1 L · 0.26 gal (US)	9005590
5 L · 1.32 gal (US)	9005520
50 L · 13.21 gal (US)	9005543

PACKAGING	CODE
200 L · 52.83 gal (US)	9005535
1000 L · 264.17 gal (US)	9005502



GRO Global Synt 15W-50

High-performance synthetic lubricant for light vehicles

Extremely special high-performance synthetic lubricant for four-stroke gasoline and diesel engines that offers high lubricant film resistance and great load support.

ACEA A3, B4 · API SN MB 229.1

PACKAGING	CODE
200 L · 52.83 gal (US)	9003035



GRO GMR 20W-50

Multigrade lubricant for diesel and petrol engines

Multigrade lubricant for diesel and gasoline engines, turbocharged or atmospheric, in the most severe working conditions for: passenger cars, transportation, public works machinery, agriculture, electric generator engines, static engines and marine diesel engines.

ACEA A3, B4 · API SL

PACKAGING	CODE
5 L · 1.32 gal (US)	9001620
50 L · 13.21 gal (US)	9001643

PACKAGING	CODE
200 L · 52.83 gal (US)	9001635
1000 L · 264.17 gal (US)	9001602

GRO GS-3 TDI 15W-40

Multigrade lubricant for light petrol and diesel engines

Excellent performance in the most severe working conditions for: passenger cars, transportation, public works machinery, agriculture, electrogenic engines, static engines and marine diesel engines.

API CF-4 · MB 228.1 · MAN 271 · MTU TYPE 1

PACKAGING	CODE
1 L · 0.26 gal (US)	9002490
5 L · 1.32 gal (US)	9002420

PACKAGING	CODE
200 L · 52.83 gal (US)	9002435
1000 L · 264.17 gal (US)	9002402





HEAVY VEHICLE ENGINE OILS

100% synthetic heavy vehicle engine oils

Synthetic heavy vehicle engine oils

Mineral heavy vehicle engine oils



GRO Global Fleet Advance Plus 5W-30

100% synthetic fuel economy and low SAPS heavy duty diesel lubricant

100% synthetic high-tech lubricant with fuel economy properties and low SAPS (low sulphur ash, phosphorus and sulphur) formulation, specially designed for the efficient lubrication of the latest generation of Euro VI compliant diesel engines. It offers maximum engine protection and compatibility with emission aftertreatment systems.

ACEA E7, E8, E11 · API CK-4, SN · JASO DH-2 · DTFR 15C100 (228.31) / DTFR 15C110 (228.51) · MAN M3275-1 / 3575 / 3477 / 3775 · VOLVO VDS-4.5 · RENAULT RLD-4 / RLD-3 · SCANIA LOW ASH · DAF PSOL 2.1E-LD · IVECO 18-1804 TLS E-6 · CATERPILLAR ECF-3 · CUMMINS CES 20086 · DEUTZ DQC IV-18 LA · DETROIT DIESEL DFS 93K222 · FORD WSS-M2C213-A1 · MACK EOS-4.5 · MTU TYPE 3.1 · VOITH RETARDER CLASS B

PACKAGING	CODE
200 L · 52.83 gal (US)	9000135
1000 L · 264.17 gal (US)	9000102

GRO Global Fleet Core Plus 5W-30

100% synthetic fuel economy lubricant for heavy diesel engines

Specially formulated to meet the latest requirements in gasoline and diesel engines of heavy vehicles, offering excellent performance in engines with turbochargers, multivalve and direct injection. Recommended for most manufacturers' Euro V engines.

ACEA E4, E7 · API CF · DTFR 15B120 (MB 228.5) · MAN M3277 · VOLVO VDS-3 · RENAULT RXD / RLD-2 · SCANIA LDF-3 · DAF EXTENDED DRAIN · IVECO 18-1804 TFE E4 · MACK EO-N · CUMMINS CES 20078 · DEUTZ DQC IV-18 · FORD WSS M2C212-A1 · ISUZU · VOITH RETARDER CLASS A

PACKAGING	CODE
20 L · 5.28 gal (US)	9007653
200 L · 52.83 gal (US)	9007635
1000 L · 264.17 gal (US)	9007602



GRO Global Fleet Ultimate 5W-30

100% synthetic base oil for heavy diesel engines

Lubricant developed primarily for new generation fully synthetic engines, based on the latest API CK-4 specification. It is recommended for most international truck and bus engine manufacturers, including European Euro VI engines (MB, Volvo, Scania, MAN, Iveco, DAF).

ACEA E4, E6, E7, E8, E9, E11 · API CK-4 · JASO DH-2 · MB DTFR 15C100 (228.31) / DTFR 15C110 (228.51) / DTFR 15C120 (228.52) · MAN M3275-1 / 3277 / 3575 / 3677 / 3775 / 3777 · VOLVO VDS-4.5 · RENAULT RLD-4 / RLD-3 · SCANIA LDF-4 / LOW ASH · DAF PSOL 2.1E-LD · IVECO 18-1804 TLS E-6 · CATERPILLAR ECF-3 · CUMMINS CES 20086 · DEUTZ DQC IV-18 LA · DETROIT DIESEL DFS 93K222 · FORD WSS-M2C213-A1 · MACK EOS-4.5 · MTU TYPE 3.1

PACKAGING	CODE
20 L · 5.28 gal (US)	9000553
200 L · 52.83 gal (US)	9000535
1000 L · 264.17 gal (US)	9000502



GRO Global Fleet Eco-Power 5W-20

100% synthetic based lubricant for heavy diesel engines

Specially developed for the lubrication of the latest MAN and Scania on-road diesel engines according to MAN specification M 3977 as well as the latest Scania DC13 engines (173, 174, 175 and 176).

MAN M 3977 · SCANIA LDF-5

PACKAGING	CODE
200 L · 52.83 gal (US)	9000435

GRO Global Fleet Eco-Power 5W-30

100% synthetic fuel economy lubricant for heavy diesel engines

Developed specifically for the latest heavy duty vehicle engines, with a particular focus on Volvo D13K5 and Renault Trucks 13L Euro VI Step-D models. This lubricant is especially recommended for engines requiring a product with Renault Trucks RLD-5 or Volvo VDS-5 specifications, ensuring optimum performance and advanced protection in demanding conditions.

API FA-4 · DTFR 15C130 (228.61) · CUMMINS CES 20087 · VOLVO VDS-5 · RENAULT RLD-5 · MACK EOS-5 · DETROIT DIESEL DFS 93K223 · FORD WSS-M2C214-B1

PACKAGING	CODE
20 L · 5.28 gal (US)	9000353
200 L · 52.83 gal (US)	9000335
1000 L · 264.17 gal (US)	9000302





GRO Global Fleet Advance 10W-30

Fuel economy and low SAPS synthetic lubricant for heavy diesel engines

High-tech synthetic lubricant with fuel economy properties and Low SAPS (low sulphated ash, phosphorus and sulphur) formulation, specially designed for efficient lubrication of latest generation Euro VI compliant diesel engines. It offers maximum engine protection and compatibility with emission after-treatment systems.

ACEA E7, E11 · API CK-4, SN · JASO HD-2 · DTFR 15C100 (MB 228.31) · MAN M3775 · CAT ECF-3 · VOLVO VDS-4.5 · RENAULT RLD-3 · CUMMINS CES 20086 · DEUTZ DQC III-18 LA · DETROIT DIESEL DFS 93K222 · FROD WSS M2C171-F1 · MACK EOS-4.5 · MTU TYPE 2.1 · CHINA D1 (EX.GB11122-2006) · ISUZU

PACKAGING	CODE
20 L · 5.28 gal (US)	9040453
200 L · 52.83 gal (US)	9040435

GRO Global Fleet Advance 10W-40

Synthetic-based lubricant for heavy diesel engines

High-performance lubricant, specially formulated for latest generation heavy-duty diesel engines equipped with advanced emission control systems (DPF, EGR, SCR). Its excellent shear stability ensures long-lasting engine protection, even under extreme load conditions, high temperatures and severe climates.

ACEA E7, E11 · API CK-4, SN · JASO HD-2 · DTFR 15C100 (MB 228.31) · MAN M3775 · VOLVO VDS-4.5 · RENAULT RLD-3 · IVECO 18-1804 TLS CK-4 / E9 · CAT ECF-3 · CUMMINS CES 20086 · DEUTZ DQC III-18 LA · DETROIT DIESEL DFS 93K222 · FROD WSS M2C171-F1 · MACK EOS-4.5 · MTU TYPE 2.1 · ALLISON TES 439 · CHINA D1 (EX.GB11122-2006)

PACKAGING	CODE	PACKAGING	CODE
20 L · 5.28 gal (US)	9040553	1000 L · 264.17 gal (US)	9040502
200 L · 52.83 gal (US)	9040535		



GRO Global Fleet Advance 15W-40

Synthetic lubricant for heavy diesel engines

High-performance lubricant, specially formulated for latest generation heavy-duty diesel engines equipped with advanced emission control systems (DPF, EGR, SCR). Its excellent shear stability ensures long-lasting engine protection, even under extreme load conditions, high temperatures and severe climates.

ACEA E7, E11 · API CK-4, SN · JASO HD-2 · DTFR 15C100 (MB 228.31) · MAN M3775 · VOLVO VDS-4.5 · RENAULT RLD-3 · IVECO 18-1804 TLS CK-4 / E9 · CAT ECF-3 · CUMMINS CES 20086 · DEUTZ DQC III-18 LA · DETROIT DIESEL DFS 93K222 · FROD WSS M2C171-F1 · MACK EOS-4.5 · MTU TYPE 2.1 · ALLISON TES 439 · CHINA D1 (EX.GB11122-2006) · ISUZU

PACKAGING	CODE	PACKAGING	CODE
5L · 1.32 gal (US)	9040620	200 L · 52.83 gal (US)	9040635
20 L · 5.28 gal (US)	9040653	1000 L · 264.17 gal (US)	9040602



GRO Global Fleet Advance Plus 10W-30

Fuel economy and low SAPS synthetic lubricant for heavy diesel engines

High-tech synthetic lubricant with fuel economy properties and Low SAPS (low sulphated ash, phosphorus and sulphur) formulation, specially designed for efficient lubrication of latest generation Euro VI compliant diesel engines. It offers maximum engine protection and compatibility with emission after-treatment systems.

ACEA E7, E8, E11 · API CK-4, SN · JASO DH-2 · DTFR 15C100 (228.31) / DTFR 15C110 (228.51) · MAN M3275-1 / 3575 / 3477 / 3775 · VOLVO VDS-4.5 · RENAULT RLD-4 / RLD-3 · SCANIA LOW ASH · DAF PSOL 2.1E-LD · CATERPILAR ECF-3 · CUMMINS CES 20086 · DEUTZ DQC IV-18 LA · DETROIT DIESEL DFS 93K222 · MACK EOS-4.5 · MTU TYPE 3.1

PACKAGING	CODE
200 L · 52.83 gal (US)	9000835
1000 L · 264.17 gal (US)	9000802

GRO Global Fleet Advance Plus 10W-40

Synthetic fuel economy and low SAPS lubricant for heavy diesel engines

High-tech synthetic lubricant with fuel economy properties and Low SAPS (low sulphated ash, phosphorus and sulphur) formulation, specially designed for efficient lubrication of latest generation Euro VI compliant diesel engines. It offers maximum engine protection and compatibility with emission after-treatment systems.

ACEA E7, E8, E11 · API CK-4, SN · JASO DH-2 · DTFR 15C100 (228.31) / DTFR 15C110 (228.51) · MAN M3275-1 / 3575 / 3477 / 3775 · VOLVO VDS-4.5 · RENAULT RLD-4 / RLD-3 · SCANIA LOW ASH · DAF PSOL 2.1E-LD · IVECO 18-1804 TLS CK-4 / TLS E9 · CATERPILAR ECF-3 · CUMMINS CES 20086 · DEUTZ DQC IV-18 LA · DETROIT DIESEL DFS 93K222 · MACK EOS-4.5 · MTU TYPE 3.1 · ISUZU · VOITH RETARDER CLASS B

PACKAGING	CODE
200 L · 52.83 gal (US)	9000935
1000 L · 264.17 gal (US))	9000902





GRO Global Fleet Core Plus 10W-40

Synthetic lubricant for high performance diesel engines

Synthetic high-performance lubricant, developed specifically for heavy-duty diesel engines operating under severe conditions and requiring extended drain intervals. Its advanced formulation ensures exceptional protection, even in the most demanding applications, and meets the technical requirements of leading European and US manufacturers.

ACEA E4, E7 · API CF DTFR 15B120 (MB 228.5) · MAN M3277 · VOLVO VDS-3 · RENAULT RXD / RLD-2 · SCANIA LDF-3 · DAF EXTENDED DRAIN · IVECO 18-1804 T3 E4 · MACK EO-N · MTU TYPE-3 · CUMMINS CES 20078 · DEUTZ DQC IV-18 · VOITH RETARDER CLASS A.

PACKAGING	CODE
200 L · 52.83 gal (US)	9000735
1000 L · 264.17 gal (US)	9000702

GRO Global Fleet Core 10W-40

Synthetic lubricant for high performance diesel engines

Long-life synthetic lubricant for turbocharged and non-turbocharged diesel engines in all types of heavy-duty vehicles, lorries, coaches, construction machinery, etc.

ACEA E7 · API CI-4, SL JASO DH-1 · GLOBAL DHD-1 · DTFR 15B110 (MB 228.3) · MAN M3275-1 · VOLVO VDS-3 · RENAULT RLD-2 · MACK EO-N · CATERPILLAR CAT ECF-1A · MTU TYPE 2 · CUMMINS CES 20078 · DETROIT DIESEL DDC 93K215 · DEUTZ DQC III-18

ENVASE	CÓDIGO	ENVASE	CÓDIGO
5 L · 1.32 gal (US)	9001920	200 L · 52.83 gal (US)	9001935
20 L · 5.28 gal (US)	9001953	1000 L · 264.17 gal (US)	9001902





GRO Global Fleet Core 20W-50

Multigrade lubricant for heavy diesel engines

Multigrade lubricant for diesel engines, turbocharged and non-turbocharged, long life, in heavy duty vehicles: trucks, buses, public works machinery, etc.

ACEA E7 · API CI-4, SL JASO DH-1 · GLOBAL DHD-1 · DTFR 15B110 (MB 228.3) · DEUTZ DQC II-18

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9003320	200 L · 52.83 gal (US)	9003335
20 L · 5.28 gal (US)	9003354	1000 L · 264.17 gal (US)	9003302

GRO Global Fleet Core 15W-40

Multigrade lubricant for heavy diesel engines

A multigrade lubricant for long-lasting diesel engines, turbocharged or not, in heavy vehicles: trucks, buses, public works machinery, etc

ACEA E7 · API CI-4, SL JASO DH-1 · GLOBAL DHD-1 · DTFR 15B110 (MB 228.3) · MAN M3275-1 · VOLVO VDS-3 · RENAULT RLD-2 · MACK EO-N · CATERPILLAR CAT ECF-1A · MTU TYPE 2 · CUMMINS CES 20078 · DETROIT DIESEL DDC 93K215 · DEUTZ DQC III-18 · ISUZU

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9003520	200 L · 52.83 gal (US)	9003535
20 L · 5.28 gal (US)	9003553	1000 L · 264.17 gal (US)	9003502
50 L · 13.21 gal (US)	9003543		



GRO Global Fleet Essential 15W-40

Multigrade lubricant for heavy diesel engines

Multigrade lubricant for diesel engines under high operating conditions: heavy transport, public works, agricultural machinery, mixed fleets and marine diesel engines. Compatible with Euro I, Euro II and Euro III engines.

ACEA E2, E3-96 ISSUE 4 · API CF-4, SL MB 228.1 · MAN 271 · VOLVO VDS · CUMMINS CES 20071/72 · DEUTZ DQC I-02 · MACK EO-L · MTU TYPE 2 · MIL-L-2104 E · MIL-L-46152E

PACKAGING	CODE
20 L · 5.28 gal (US)	9002453
200 L · 52.83 gal (US)	9002438
1000 L · 264.17 gal (US)	9002403



GRO Global Fleet Essential SAE 50

Single grade lubricant for heavy diesel engines

Single grade lubricant for turbo compressed or naturally aspirated diesel engines. With high detergent and dispersing power. Indispensable for engines operating under severe load and temperature conditions (transport, construction machinery, agriculture, marine engines and static engines).

ACEA E2 · API CF-4, SG · MB 228.0 · MAN 270 · MTU TYPE 1 · CAT TO-2 · ALLISON C-4

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9004520	200 L · 52.83 gal (US)	9004535
20 L · 5.28 gal (US)	9004553		

GRO Global Fleet Essential SAE 40

Single grade lubricant for heavy diesel engines

Single grade lubricant for turbo compressed or naturally aspirated diesel engines. With high detergent and dispersing power. Indispensable for engines operating under severe load and temperature conditions (transport, construction machinery, agriculture, marine engines and static engines).

ACEA E2 · API CF-4, SG · MB 228.0 / 235.12 · MIL-L-2104 E · MAN 270 · MTU TYPE 1 · MIL-L-2104 E · CAT TO-2 · ALLISON C-4

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9001420	50 L · 13.21 gal (US)	9001443
20 L · 5.28 gal (US)	9001453	200 L · 52.83 gal (US)	9001435



GRO Global Fleet Essential SAE 30

Single grade lubricant for heavy diesel engines

Single grade lubricant for turbo compressed or naturally aspirated diesel engines. With high detergent and dispersing power. Indispensable for engines operating under severe load and temperature conditions (transport, construction machinery, agriculture, marine engines and static engines).

ACEA E2 · API CF-4, SG · MB 228.0 · MAN 270 · MTU TYPE 1 · MIL-L-2104 E · CAT TO-2 · ALLISON C-4 · ZF TE-ML 02C

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9001320	50 L · 13.21 gal (US)	9001343
20 L · 5.28 gal (US)	9001353	200 L · 52.83 gal (US)	9001335



GRO Global Fleet Essential 25W-60

Multigrade heavy duty diesel engine lubricant

A mineral based multigrade lubricant for turbocharged or naturally aspirated diesel engines operating under severe conditions.

API CF-4, DF-4

PACKAGING	CODE
20 L · 5.28 gal (US)	9003453

GRO Global Fleet Essential 10W


Multigrade heavy duty diesel engine lubricant

Mono-grade lubricant for heavy diesel engines, as well as for hydraulics in civil engineering machinery.

ACEA E2 · API CF-4, SG MB 228.0 · MAN 270 · MIL-L-2104 E · CAT TO-2 · ALLISON C-4 · ZF TE-ML 03 B

ENVASE	CÓDIGO
200 L · 52.83 gal (US)	9000235
1000 L · 264.17 gal (US)	9000202





TRANSMISSION, GEARBOX AND STEERING OILS

Synthetic transmission, gear and differential oils

Mineral transmission, gear and differential oils

*Synthetic and 100% synthetic automatic
transmission and steering oils*



GRO Gear Lube EP 75W-80

Lubricant for manual transmissions and bridges

An extreme-pressure lubricant for gearboxes, highly loaded hypoid gear bridges, gearings and other mechanical transmission components.

API GL-4, GL-5 MT-1 · MACK GO-J · ZF TE-ML 08

PACKAGING	CODE
5 L · 1.32 gal (US)	1038520
20 L · 5.28 gal (US)	1038553

PACKAGING	CODE
50 L · 13.21 gal (US)	1038543
200 L · 52.83 gal (US)	1038535

GRO Gear Synt 75W-90

Lubricant for manual transmissions and bridges

Specially formulated for gears. The special base oils and the highly proven additive technology combine to provide extraordinary performance and lubricating power.

API GL-4, GL-5 MT-1 · MACK GO-J · MB235.8 · FORD WSS M2C 200-C

PACKAGING	CODE
1 L · 0.26 gal (US)	1035690
5 L · 1.32 gal (US)	1035620
20 L · 5.28 gal (US)	1035653

PACKAGING	CODE
200 L · 52.83 gal (US)	1035635
1000 L · 264.17 gal (US)	1035602



GRO Gear Synt LS 70W-90

Lubricant for manual transmissions and bridges

Specially formulated to be used in both gearboxes and differentials with limited slip (inappropriately called self-locking).

API GL-4, GL-5 MT-1 · MACK GO-J · MB 235.8 · FORD WSS M2C 200-C

PACKAGING	CODE
20 L · 5.28 gal (US)	1038653
200 L · 52.83 gal (US)	1038635
1000 L · 264.17 gal (US)	1038602



GRO Gear Synt LS 75W-140

Lubricant for manual transmissions and bridges

Specially formulated to be used in both gearboxes and differentials with limited slip (inappropriately called self-locking).

API GL-4, GL-5 LS MT-1 · MACK GO-J · MB 235.8 · FORD WSS M2C 200-C

PACKAGING	CODE
20 L · 5.28 gal (US)	1039653
200 L · 52.83 gal (US)	1039635
1000 L · 264.17 gal (US)	1039602

GRO Gear Lube Intarder Z-4 75W-80

Lubricant for manual transmissions and bridges

100% synthetic lubricant for synchronised or non-synchronised mechanical gearboxes and specially adapted to ZF gearboxes with intarder.

API GL-4 MAN 341 TYPE E-3 / Z-4 · ZF TE-ML 02L / 16K

PACKAGING	CODE
20 L · 5.28 gal (US)	1030053
200 L · 52.83 gal (US)	1030035





GRO Gear Lube EP 85W-140

Lubricant for manual transmissions and bridges

An extreme-pressure mineral lubricant for gearboxes, highly loaded hypoid gear bridges, gearings, U-joints and other mechanical transmission components.

API GL-4, GL-5 MT-1 · MACK GO-J · ZF TE-ML 08

PACKAGING	CODE
5 L · 1.32 gal (US)	1038220
20 L · 5.28 gal (US)	1038253
50 L · 13.21 gal (US)	1038243

PACKAGING	CODE
200 L · 52.83 gal (US)	1038235
1000 L · 264.17 gal (US)	1038202

GRO Gear Lube EP SAE 90

Lubricant for manual transmissions and bridges

Lubricant formulated with a mineral oil base and special additives to improve its performance against high pressures, high temperatures and high speeds. Recommended for gears, transmissions and gearboxes.

API GL-4

PACKAGING	CODE
5 L · 1.32 gal (US)	1031820
50 L · 13.21 gal (US)	1031843
200 L · 52.83 gal (US)	1031835



GRO Gear Lube EP SAE 140

Lubricant for manual transmissions and bridges

Lubricant formulated with a mineral oil base and special additives to improve its performance against high pressures, high temperatures and high speeds. Recommended for gears, transmissions and gearboxes.

API GL-4

PACKAGING	CODE
5 L · 1.32 gal (US)	1031920
20 L · 5.28 gal (US)	1031953

PACKAGING	CODE
200 L · 52.83 gal (US)	1031935
1000 L · 264.17 gal (US)	1031902



GRO Gear Lube GL-4 80W-90

Lubricant for manual transmissions and bridges

An extreme-pressure mineral lubricant for gearboxes, highly loaded hypoid gear bridges, gearings and other mechanical transmission components.

API GL-4 ZF TE-ML 08

PACKAGING	CODE
5 L · 1.32 gal (US)	1038920
20 L · 5.28 gal (US)	1038953

PACKAGING	CODE
50 L · 13.21 gal (US)	1038943
200 L · 52.83 gal (US)	1038935

GRO Gear Lube GL-5 80W-90

Lubricant for manual transmissions and bridges

An extreme-pressure mineral lubricant for gearboxes, highly loaded hypoid gear bridges, gearings and other mechanical transmission components.

API GL-5 MACK GO-J · MIL-L-2105D · MT-1 · ZF TE-ML 08

PACKAGING	CODE
5 L · 1.32 gal (US)	1038120
20 L · 5.28 gal (US)	1038153
50 L · 13.21 gal (US)	1038143

PACKAGING	CODE
200 L · 52.83 gal (US)	1038135
1000 L · 264.17 gal (US)	1038102



GRO Gear Lube EP 85W-90

Lubricant for manual transmissions and bridges

An extreme-pressure mineral lubricant for gearboxes, highly loaded hypoid gear bridges, gearings and other mechanical transmission components.

API GL-5 MIL PRF-2105 D · ZF TE-ML 07 A

PACKAGING	CODE
20 L · 5.28 gal (US)	1036553
200 L · 52.83 gal (US)	1036535



GRO Gear Lube LS 80W-90

Lubricant for manual transmissions and bridges

Specially formulated to be used in both gearboxes and differentials with limited slip (inappropriately called self-locking).

API GL-4, GL-5 LS MT-1 · MACK GO-J · MIL-L-2105D

PACKAGING	CODE
20 L · 5.28 gal (US)	1035253
200 L · 52.83 gal (US)	1035235
1000 L · 264.17 gal (US)	1035202

GRO Gear Lube SN 80W-140

Lubricant for manual transmissions and bridges

Designed especially for gearboxes, highly loaded hypoid gear bridges, gearings, U-joints and other mechanical transmission components.

API GL-5 MAN 342 TYPE M2 · SCANIA STO 1.0 · ZF TE-ML 05A / 07A / 12E / 16B / 16D / 17B / 19B

PACKAGING	CODE
200 L · 52.83 gal (US)	1036235
1000 L · 264.17 gal (US)	1036202



GRO Gear Lube SN 85W-140

Lubricant for manual transmissions and bridges

Designed especially for gearboxes, highly loaded hypoid gear bridges, gearings, U-joints and other mechanical transmission components.

API GL-5 MAN 342 TYPE M2 · SCANIA STO 1.0 · ZF TE-ML 05A / 07A / 12E / 16B / 16D / 17B / 19B

PACKAGING	CODE
20 L · 5.28 gal (US)	1035553
200 L · 52.83 gal (US)	1035535
1000 L · 264.17 gal (US)	1035502



GRO Global ATF II

Lubricant for automatic transmissions

Fluid for mechanical transmissions, torque converters, power steering and hydraulic circuits in which the manufacturer recommends General Motors ATF standards such as Dexron IID or Ford Mercon and for the ZF automatic gearboxes that equip most European vehicles.

DEXRON IID · FORD MERCON

PACKAGING	CODE
1 L · 0.26 gal (US)	2000190
5 L · 1.32 gal (US)	2000120
20 L · 5.28 gal (US)	2000153

PACKAGING	CODE
50 L · 13.21 gal (US)	2000143
200 L · 52.83 gal (US)	2000135
1000 L · 264.17 gal (US)	2000102

GRO Global ATF III

Lubricant for automatic transmissions

Especially suitable for all TYPEs of automatic or semi-automatic transmissions, torque converters and hydraulic systems where the manufacturer requires a GM Dexron III TYPE automatic transmission fluid.

ALLISON C-4 / TES 389 · CATERPILLAR TO-2 · CHRYSLER MS 9602 / MS 7176 · FORD WSS M2C 138-CJ / 166-H · DEXRON III-H / G / F / E / D · MAN 339 Z1 / Z2 / V2 · MB 236.1 / 236.6 / 236.7 / 236.9 · VOITH 555.6335 / 556.336 · VOLVO 97340 / 97341 · ZF TE-ML 02F / 03D / 04D / 09A / 11A / 11B / 14A / 14B / 16L / 17C

PACKAGING	CODE
1 L · 0.26 gal (US)	2000290
5 L · 1.32 gal (US)	2000220
20 L · 5.28 gal (US)	2000253

PACKAGING	CODE
50 L · 13.21 gal (US)	2000243
200 L · 52.83 gal (US)	2000235
1000 L · 264.17 gal (US)	2000202



GRO Global ATF VI

Lubricant for automatic transmissions

It is a special 100% synthetic base lubricant for automatic transmissions of the Hydra-Matic TYPE of the new generation of light and heavy vehicles from General Motors / VW group / Mitsubishi / Honda / BMW / PSA group / Mercedes-Benz and other manufacturers that require this specification. Exceeds the requirements of gearboxes where Dexron II and III fluids are recommended.

GM DEXRON IID / IIH / VI · FORD MERCON SP / LV · ALLISON C-4 / TES 389 / TES 295 · ZF TE-ML 04D / 05L / 09 / 11B / 14A / 14B / 14C / 16L / 20B / 20C · MB 236.15 / 236.14 / 236.9 / 236.8 / 236.7 / 236.6 · VOITH G607 / H55.6335. XX / H55.6336.XX · MITSUBISHI SP III · TOYOTA WS

PACKAGING	CODE
5 L · 1.32 gal (US)	2000920
200 L · 52.83 gal (US)	2000935
1000 L · 264.17 gal (US)	2000902

Synthetic and 100% synthetic automatic transmission and steering oils



GRO Global ATF DCT - DSG

Lubricant for automatic transmissions

Synthetic fluid for dual-clutch automatic transmissions that covers the market for both passenger cars and vans equipped with VW DSG (Direct Shift Gear Box) or S-Tronic gearboxes. It covers a wide range of manufacturers, both European, Asian and American.

MB 236.21 / 236.25 · BMW 83 22 2 148 578 / 83 22 2 148 579 / 83 22 0 440 214 / 83 22 2 147 477 · MITSUBISHI DIA-QUEEN SSTF-I · FORD WSS M2C 936-A · PSA 9734.S2 · PORSCHE 999.917.080.00 · VOLVO 1161838 / 1161839 · VW G 052 182 / G052 529GM DEXRON IID / TYPE A SUFFIX A

PACKAGING	CODE
1 L · 0.26 gal (US)	2001290

GRO Global ATF CVT

Synthetic lubricant for Continuously Variable Transmission (CVT) chain and belt drives

High performance synthetic lubricant, specially designed for Continuous Variable Transmission (CVT) gearboxes.

Recommended for the vast majority of vehicles equipped with CVT, both belt CVT and chain CVT. Particularly suitable for CVT gearboxes from american manufacturers GM, Ford, Chrysler..., asian manufacturers Honda, Hyundai, Kia, Mitsubishi, Toyota, Nissan, Subaru..., or european manufacturers Audi, BMW, Citroën, Mercedes-Benz, Peugeot, Renault...

Caution: Not applicable to CVT systems on hybrid vehicles.

Especificaciones



PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	2001390	20 L · 5.28 gal (US)	2001353





GRO Global ATF Multivehicle

100% synthetic lubricant for automatic transmissions, power steering, torque converters and hydraulic systems

100% synthetic high performance lubricant specially designed for most modern automatic transmissions (manual mode, sequential mode, electronically controlled...) with or without slipper clutch. Especially recommended for use in automatic gearboxes of American, Asian or European car manufacturers. It is also recommended for use in older automatic gearboxes, torque converters, power steering, boat reverse gears, hydrostatic transmissions, mechanical and hydraulic systems where Dexron II, Dexron III or Mercon fluids are required.

Especificaciones



PACKAGING	CODE
1 L · 0.26 gal (US)	2001490
20 L · 5.28 gal (US)	2001453

GRO Global ATF HD

100% synthetic lubricant for modern heavy duty automatic transmissions

100% synthetic lubricant specially designed for modern heavy duty automatic transmissions, trucks, buses and coaches (manual mode, sequential mode, electronic controls...) with or without torque converter lock-up, offering an extended maintenance interval under very severe driving conditions. Fully adapted to continuous start/stop driving. Particularly recommended for use in ZF and Voith automatic transmissions: ZF Ecomat, ZF Ecolite, Voith H55.6335.

MAN TYPE 339 V2 · MAN TYPE 339 Z3 · MAN TYPE 339 Z12 · MB 236.9 · VOITH 150.014524.xx · VOLVO 97341 · ZF TE-ML 14C (Ecomat) · ZF TE-ML 20C (ECOLIFE)

PACKAGING	CODE
20 L · 5.28 gal (US)	2001553
200 L · 52.83 gal (US)	2001535





***LUBRICANTS FOR AGRICULTURAL,
PUBLIC WORKS, GARDENING
AND FORESTRY MACHINERY***

Lubricants for agricultural and public works machinery

Gardening and forestry machinery lubricants



GRO Agrolube UTTO 10W-30

Multifunctional lubricant for agricultural machinery

Special quality lubricant for gearboxes, differentials, hydraulic systems, submerged brakes of tractors, agricultural and public works machinery. Especially developed to solve the problem of noise and vibrations in immersed brakes.

API GL-4 JOHN DEERE J14A / 14B / 14C / 20C / 20D / 21A · CNH MS 1204 / 1206 / 1207 / 1209 / 1210 · FORD M2C 41-B / 134-D / 48-B / 48-C / 159-B / 159-D / 86-B · VICKERS I-286-S / M 2950-S · HESSTON FIAT AF-87 · CATERPILLAR TO-2 · KUBOTA UDT · ALLISON C-2 · DENNISON HF-1 / HF-2

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	2010020	200 L · 52.83 gal (US)	2010035
20 L · 5.28 gal (US)	2010053	1000 L · 264.17 gal (US)	2010002
50 L · 13.21 gal (US)	2010043		

GRO Agrolube UTTO 20W-30

Multifunctional synthetic lubricant for agricultural machinery

A special-grade lubricant for gearboxes, differentials, hydraulic systems and wet brakes on tractors, agricultural machinery and public works machinery. Specially developed to tackle noise and vibration issues in wet brakes.

API GL-4 JOHN DEERE J20C / J20D · GIMA M1145 · ZF TE-ML 03E / 03L / 05E / 17E / 21E

ENVASE	CÓDIGO
20 L · 5.28 gal (US)	2011453
200 L · 52.83 gal (US)	2011435
1000 L · 264.17 gal (US)	2011402



GRO Agrolube UTTO Ultra+ 10W-30

Multifunctional synthetic lubricant for agricultural machinery

Special quality lubricant for gearboxes, differentials, hydraulic systems, submerged brakes of tractors, agricultural and public works machinery. Specially developed to solve the problem of noise and vibrations in immersed brakes.

API GL-4 JOHN DEERE J20C / J20D · CNH MAT 3525 / 3540 · GIMA M1145 · VOLVO WB 101 · ZF TE-ML 03E / 03L / 05E / 06N / 06D / 06R / 06K / 17E / 21E

PACKAGING	CODE	PACKAGING	CODE
20 L · 5.28 gal (US)	2011353	200 L · 52.83 gal (US)	2011335
50 L · 13.21 gal (US)	2011343	1000 L · 264.17 gal (US)	2011302



GRO Agrolube STOU 15W-40

Multifunctional lubricant for agricultural machinery

Special quality lubricant for gearboxes, differentials, hydraulic systems, submerged brakes of tractors, agricultural and public works machinery. Specially developed to solve the problem of noise and vibrations in immersed brakes.

ACEA E2 · API CF-4 · JOHN DEERE 327 · MASSEY FERGUSON CMS 1145 / 1144 / 1139 · ALLISON C4 · FORD M2C 159-B · ZF TE-ML 06A / 06B / 06C / 06D / 07B · CATERPILLAR TO-2 · MB 227.1 / 228.1 · MAN 271 · MIL-L-2104D

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9002320	200 L · 52.83 gal (US)	9002335
20 L · 5.28 gal (US)	9002354	1000 L · 264.17 gal (US)	9002302

GRO HD 10W

Mono-grade lubricant for heavy diesel engines

Mono-grade lubricant for heavy diesel engines as well as for hydraulics in construction machinery.

ACEA E2 · API CF-2 · DIN 51524-2 HLP (EXCEPT DE-EMULSION) · CATERPILLAR TO-2

PACKAGING	CODE
200 L · 52.83 gal (US)	9000235
1000 L · 264.17 gal (US)	9000202



GRO Globaltrans TO-4 SAE 10W

Multifunctional lubricant for public works machinery

Especially recommended for hydraulic systems, powershift boxes, axles and final drives when the manufacturer requires an oil that meets the CATERPILLAR TO-4 specification.

CATERPILLAR TO-4 · ALLISON C-4 · KOMATSU KES 07.868.1 · ZF TE-ML 03C

PACKAGING	CODE
20 L · 5.28 gal (US)	2011053
200 L · 52.83 gal (US)	2011035
1000 L · 264.17 gal (US)	2011002



GRO Globaltrans TO-4 SAE 30

Multifunctional lubricant for public works machinery

Especially recommended for hydraulic systems, powershift boxes, axles and final drives when the manufacturer requires an oil that meets the CATERPILLAR TO-4 specification.

API CF, GL-4 CATERPILLAR TO-4 · ALLISON C-4 · KOMATSU KES 07.868.1 · ZF TE-ML 03C / 07F

PACKAGING	CODE
20 L · 5.28 gal (US)	2011153
200 L · 52.83 gal (US)	2011135
1000 L · 264.17 gal (US)	2011102

GRO Globaltrans TO-4 SAE 50

Multifunctional lubricant for public works machinery

Especially recommended for hydraulic systems, powershift boxes, axles and final drives when the manufacturer requires an oil that meets the CATERPILLAR TO-4 specification.

API CF, GL-4 CATERPILLAR TO-4 · KOMATSU KES 07.868.1

ENVASE	CÓDIGO	ENVASE	CÓDIGO
5 L · 1.32 gal (US)	2011220	200 L · 52.83 gal (US)	2011235
20 L · 5.28 gal (US)	2011253	1000 L · 264.17 gal (US)	2011202





GRO Global Motosierras

Neutral and paraffinic-based lubricant

Paraffin-based and neutral lubricant specifically formulated for the lubrication of chainsaws for conventional use.

PACKAGING	CODE
5 L · 1.32 gal (US)	1027056
200 L · 52.83 gal (US)	1027035
1000 L · 264.17 gal (US)	1027005

GRO Global Motosierras 150

Neutral and paraffinic-based lubricant

Lubricant with a paraffinic and neutral base with high viscosity that gives it a “high adhesiveness” appropriate for the lubrication of high-speed chainsaw chains. services (professional machinery for forestry work).

PACKAGING	CODE
5 L · 1.32 gal (US)	9151556
200 L · 52.83 gal (US)	9151535
1000 L · 264.17 gal (US)	9151502



GRO Chain BIO

Biodegradable lubricant for saws

Vegetable-based oil with high creaminess and adhesion, biodegradable for environmental protection.

PACKAGING	CODE
5 L · 1.32 gal (US)	1027276
200 L · 52.83 gal (US)	1027235



HYDRAULIC OILS AND GREASES

Hydraulic oils

Greases



GRO Hydraulic HLP-32

Micro filtered hydraulic lubricant

Fluid for hydraulic circuits for forklifts and hydraulic lifts, public works machinery, agricultural machinery, machine tools, presses and injection machines.

ISO 6074 (HM) · DIN 51524, PART 2 (HLP) · AFNOR NF E 48-602 HM / NF E 48-603 HM

PACKAGING	CODE
200 L · 52.83 gal (US)	2052135
1000 L · 264.17 gal (US)	2052102

GRO Hydraulic HLP-46

Micro filtered hydraulic lubricant

Fluid for hydraulic circuits for forklifts and hydraulic lifts, public works machinery, agricultural machinery, machine tools, presses and injection machines.

ISO 6074 (HM) · DIN 51524, PART 2 (HLP) · AFNOR NF E 48-602 HM / NF E 48-603 HM

PACKAGING	CODE
5 L · 1.32 gal (US)	2052320
20 L · 5.28 gal (US)	2052353
50 L · 13.21 gal (US)	2052343

PACKAGING	CODE
200 L · 52.83 gal (US)	2052335
1000 L · 264.17 gal (US)	2052302



GRO Hydraulic HLP-68

Micro filtered hydraulic lubricant

Fluid for hydraulic circuits for forklifts and hydraulic lifts, public works machinery, agricultural machinery, machine tools, presses and injection machines.

ISO 6074 (HM) · DIN 51524, PART 2 (HLP) · AFNOR NF E 48-602 HM / NF E 48-603 HM

PACKAGING	CODE
5 L · 1.32 gal (US)	2052420
20 L · 5.28 gal (US)	2052453
50 L · 13.21 gal (US)	2052443

PACKAGING	CODE
200 L · 52.83 gal (US)	2052435
1000 L · 264.17 gal (US)	2052402



GRO Hydraulic HV-46

Micro filtered hydraulic lubricant

Refined and micro-filtered hydraulic lubricant to be used in systems subject to large temperature variations, and where anti-wear characteristics, oxidation stability and good corrosion resistance are required.

DIN 51524, PART 3 (HVP) · DENISON HF-0 / HF-1 / HF-2 · VICKERS M-2950-S / I-286-S · USS 127-136 · CINCINNATI MACHINE P-70 · AFNOR NF E 48-602 HV / NF E 48-603 HV

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	2060120	200 L · 52.83 gal (US)	2060135
20 L · 5.28 gal (US)	2060153	1000 L · 264.17 gal (US)	2060102

GRO Hydraulic HV-68

Micro filtered hydraulic lubricant

Refined and micro-filtered hydraulic lubricant to be used in systems subject to large temperature variations, and where anti-wear characteristics, oxidation stability and good corrosion resistance are required.

DIN 51524, PART 3 (HVP) · DENISON HF-0 / HF-1 / HF-2 · VICKERS M-2950-S / I-286-S · USS 127-136 · CINCINNATI MACHINE P-70 · AFNOR NF E 48-602 HV / NF E 48-603 HV

PACKAGING	CODE
20 L · 5.28 gal (US)	2060253
200 L · 52.83 gal (US)	2060235
1000 L · 264.17 gal (US)	2060202



GRO HYD HLP-46

Micro filtered hydraulic lubricant

Fluid for hydraulic circuits for forklifts and hydraulic lifts, public works machinery, agricultural machinery, machine tools, presses and injection machines.

ISO 6074 (HM) · DIN 51524, PART 2 (HLP) · USS 126-127 · AFNOR NF E 48-603 (HM) · ISO 6743 HM / FC / FD / CB

PACKAGING	CODE
200 L · 52.83 gal (US)	2052535
1000 L · 264.17 gal (US)	2052503



GRO HYD HLP-68

Micro filtered hydraulic lubricant

Fluid for hydraulic circuits for forklifts and hydraulic lifts, public works machinery, agricultural machinery, machine tools, presses and injection machines.

ISO 6074 (HM) · DIN 51524, PART 2 (HLP) · USS 126-127 · AFNOR NF E 48-603 (HM) · ISO 6743 HM / FC / FD / CB

PACKAGING	CODE
200 L · 52.83 gal (US)	2053535
1000 L · 264.17 gal (US)	2053503

GRO Global Poclairn

Special hydraulic fluid for public works machinery

Hydraulic oil with a high viscosity index and excellent shear stability, with anti-wear and Extreme Pressure additives. Designed to work in hydraulic systems of earthmoving machinery in the most severe conditions.

DIN 51524, PART 3 (HVP) · DENISON HF-1 / HF-2 · POCLAIRN PPM (PO 00552-13/P)

PACKAGING	CODE	PACKAGING	CODE
20 L · 5.28 gal (US)	2010253	200 L · 52.83 gal (US)	2010235
50 L · 13.21 gal (US)	2010243	1000 L · 264.17 gal (US)	2010202



GRO Global Drill 100

Lubricant for pneumatic tools

Oil manufactured from selected paraffinic bases and additives for optimal performance in the applications for which it is intended.

ISO 6743 / 11 · PAC AND PBC

PACKAGING	CODE
50 L · 13.21 gal (US)	1022343
200 L · 52.83 gal (US)	1022335
1000 L · 264.17 gal (US)	1022302



GRO Global Grease 2

Multifunctional grease for all TYPEs of use

Lithic grease made with selected mineral-based oils, which make it ideal for the lubrication of any TYPE of bearing or other mechanism that works in severe conditions such as strong loads, vibrations, shocks, medium and high speeds.

ISO - L - XBDHA 2

PACKAGING	CODE
5 K	6010355
45 K	6010341
180 K	6010332

GRO Global Grease EP-00

Multifunctional grease for all TYPEs of use

Lithic grease manufactured with high quality and pure mineral bases, and additives that improve its properties.

ISO - L - XBDHB 2

PACKAGING	CODE	PACKAGING	CODE
5 K	6020055	45 K	6020041
20 K	6020050	180 K	6020032



GRO Global Grease ALG

Agricultural machinery grease

Lithic grease manufactured with high quality and pure mineral bases, and additives that improve its properties. Designed for use on cotton harvesting machines, Case, John Deere, International Harvester, etc.

ISO - L - XBDHA 00

PACKAGING	CODE
16 K	6015153
175 K	6015133



GRO Global Complex LT-2

Multifunctional grease for all TYPEs of use

Mineral-based grease and lithium complex soap with EP (Extreme Pressure) additives.

ISO - L - XBGEB 2

PACKAGING	CODE	PACKAGING	CODE
400 g	6080498N	45 K	6080441
5 K	6080455	180 K	6080432
20 K	6080444		

GRO Global Grease EP-2

Multifunctional grease for all TYPEs of use

Lithic grease manufactured with high quality and pure mineral bases, and additives that improve its properties.

ISO-L-XBDHB 2

PACKAGING	CODE	PACKAGING	CODE
400 g	6020298N	45 K	6020241
5 K	6020255	180 K	6020232
20 K	6020250		



GRO Molygrease EP-2

Multifunctional grease for all TYPEs of use

Lubricating grease made with mineral oils, lytic soap, additives that improve its properties and solid lubricants.

ISO - L - XBDEB 2

PACKAGING	CODE	PACKAGING	CODE
400 g	6032298N	45 K	6032241
5 K	6032255	180 K	6032232
20 K	6032265		




GRO Global ATOX 2

Multifunctional grease for all TYPES of use

Non-toxic grease recommended for the lubrication of agricultural equipment in which the use of food grade products is required.

ISO - L - XBGIB 2

PACKAGING	CODE
5 K	6052473
20 K	6052444



MAINTENANCE PRODUCTS

Special cleaning products

Special maintenance products

Coolants



GRO Global Limpiamotores

Powerful degreaser to clean engines

Global engine cleaner is a safety solvent that is used to clean engines and parts as a substitute for other solvents such as gasoline, oil, etc....

PACKAGING	CODE
50 L · 13.21 gal (US)	4070143

GRO Global Gel

Degreasing hand cleansing paste

It is a paste formulated with lanolin and anionic and non-ionic surfactants perfectly balanced in concentration to achieve an extraordinary cleaning and degreasing action and effective removal of dirt, without causing irritation or dryness to the skin.

PACKAGING	CODE
1 K	5080467
10 K	5080446



GRO Global Glass Cleaner

Windshield washer

Windshield washer fluid with antifreeze based on deionized water and alcohols with detergent, conveniently additivated to clean the car windshield, lowering the freezing point and without damaging the elements with which it is in contact.

PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	5074081	200 L · 52.83 gal (US)	5074033
5 L · 1.32 gal (US)	5074073	1000 L · 264.17 gal (US)	5074002
25 L · 6.60 gal (US)	5074056		



GRO Global Wash Shampoo

Powerful cleaner

Global Wash Shampoo is a degreasing liquid detergent for direct use that allows you to easily remove any TYPE of dirt. Its great cleaning capacity allows virtually effortless perfect cleaning, even with stubborn dirt (grease, mud, etc.).

PACKAGING	CODE
1 L · 0.26 gal (US)	5073081
5 L · 1.32 gal (US)	5073073

GRO Brake Fluid DOT 4

Universal brake fluid



Universal brake fluid for all braking systems (disc or drum) and clutch systems for motorcycles and cars.

SAE J1703 / J1704 · ISO 4925 (CLASSES 3 / 4) · U.S. FMVSS NO. 116 DOT 3 / 4

ENVASE	CÓDIGO
500 ml · 0.13 gal (US)	9030186
20 L · 5.28 gal (US)	9030153

GRO Brake Fluid DOT 5.1

Universal brake fluid

100% synthetic brake fluid for clutches and hydraulic braking systems of light and heavy vehicles, motorcycles and some latest generation bicycles.

SAE J1703 / J1704 · ISO 4925 (CLASSES 3 / 4 / 5.1) · U.S. FMVSS NO. 116 DOT 3 / 4 / 5.1

ENVASE	CÓDIGO
500 ml · 0.13 gal (US)	9030386



GRO Contact Cleaner Spray

Powerful degreasing cleaner



Contact Cleaner Spray is a high pressure spray formulated to clean and degrease all surfaces. This product dries quickly and leaves no residue, making it ideal for cleaning electrical contacts, spark plugs, carburettor components, etc., as well as plastic surfaces.

ENVASE	CÓDIGO
500 ml · 0.13 gal (US)	5091598



GRO Multispray PTFE

Multifunctional lubricant with PTFE

Multifunctional lubricant with a special base and polytetrafluoroethylene (PTFE) formulated with oils, solvents and additives that give it great lubrication, penetration and protection power. It has highly lubricating properties, achieving optimal results in the lubrication of all TYPES of mechanical joints, reducing friction and eliminating noise.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5090999

GRO Multilube

Unblocking and anticorrosive lubricant

High penetration lubricant spray, with multiple uses.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5090799



GRO Silicon Plus

Silicone-based polish

It is a silicone spray specially formulated to obtain maximum performance in your applications. Ultra-fine spray, allows perfect control in the application of the product.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091899



GRO GCC 10% Long Time

Líquido refrigerante 100% orgánico

Líquido refrigerante 100% orgánico, anticongelante, todo tiempo, especialmente formulado para ser empleado en cualquier tipo de circuito de refrigeración, tanto sellados (C.C) como abiertos. La misión fundamental es refrigerar el motor y descender el punto de congelación del agua. Apto para vehículos Euro 6.

UNE 26-361-88 · ASTM D3306-00 · SAE J 1034/91

ENVASE	CÓDIGO
5 L · 1.32 gal (US)	9011073

GRO GCC 30% Long Time

Líquido refrigerante 100% orgánico

Líquido refrigerante 100% orgánico, anticongelante, todo tiempo, especialmente formulado para ser empleado en cualquier tipo de circuito de refrigeración, tanto sellados (C.C) como abiertos. La misión fundamental es refrigerar el motor y descender el punto de congelación del agua. Apto para vehículos Euro 6. Disponible en colores: verde, rosa y amarillo.

ASTM D3306-00 · UNE 26-361-88 · NATO S-759 · RENAULT 41-01-001 · MB 325.3 · MAN 324 · BS 6580 · DEUTZ/MWN 0199-2091 2 · FORD WSS-M97B44-C · FORD WSS-M97B49-A · MACK 014GS17004 · CUMMINS 90T8-4

VERDE		ROSA		AMARILLO	
ENVASE	CÓDIGO	ENVASE	CÓDIGO	ENVASE	CÓDIGO
1 L · 0.26 gal (US)	9012281	1 L · 0.26 gal (US)	9012381	5 L · 1.32 gal (US)	9012473
5 L · 1.32 gal (US)	9012273	5 L · 1.32 gal (US)	9012373	1000 L · 264.17 gal (US)	9012402
25 L · 6.60 gal (US)	9012256	200 L · 52.83 gal (US)	9012334		
200 L · 52.83 gal (US)	9012233	1000 L · 264.17 gal (US)	9012302		
1000 L · 264.17 gal (US)	9012202				



GRO GCC 50% G12+ Long Time

Líquido refrigerante 100% orgánico

Líquido refrigerante 100% orgánico, anticongelante, todo tiempo, especialmente formulado para ser empleado en cualquier tipo de circuito de refrigeración, tanto sellados (C.C) como abiertos. La misión fundamental es refrigerar el motor y descender el punto de congelación del agua. Apto para vehículos Euro 6. Disponible en colores: verde, rosa, amarillo y azul.

ASTM D-3306 / D-4985 · UNE 26-361-88 · NATO S-759 · BS 6580 · MB 325.3 · VW TL 774D (G12) / TL 774F (G12+) · MAN 324 · RENAULT 41-01-001 · DEUTZ MWN 0199-2091 · FORD WSS-M97B44-C · FORD WSS-M97B49-A · MACK 014GS17004 · CUMMINS 90T8-4

VERDE		ROSA		AMARILLO		AZUL	
ENVASE	CÓDIGO	ENVASE	CÓDIGO	ENVASE	CÓDIGO	ENVASE	CÓDIGO
5 L · 1.32 gal (US)	9012673	5 L · 1.32 gal (US)	9012773	5 L · 1.32 gal (US)	9012973	5 L · 1.32 gal (US)	9012873
25 L · 6.60 gal (US)	9012656	25 L · 6.60 gal (US)	9012756	200 L · 52.83 gal (US)	9012933	1000 L · 264.17 gal (US)	9012802
200 L · 52.83 gal (US)	9012633	200 L · 52.83 gal (US)	9012733	1000 L · 264.17 gal (US)	9012902		
1000 L · 264.17 gal (US)	9012602	1000 L · 264.17 gal (US)	9012702				



GRO GCC 50% SI-OAT G12++ Long Time

100% organic coolant liquid

100% organic coolant, antifreeze, all-season, specially formulated to be used in any TYPE of refrigeration circuit, both sealed (CC) and open. The fundamental mission is to cool the engine and lower the freezing point of water. Suitable for Euro 6 vehicles.

VW TL 774G (G12++) · SAE J1034 · NATO S-759 · ASTM D-3306 / D-4985 · BS 6580 · JIS K 2234 · CUNA NC 956-16 · AFNOR 3 15/601 · UNE 26-361-88 · KSM 2142

PACKAGING	CODE
5 L · 1.32 gal (US)	9014373
200 L · 52.83 gal (US)	9014333
1000 L · 264.17 gal (US)	9014302

GRO GCC 50% G12 EVO Long Time

100% organic coolant liquid

Ready-to-use, ethylene glycol-based high-performance coolant with state-of-the-art PSi-OAT corrosion protection technology. For modern high-performance engines. With PSi-OAT technology, organic acids work together with mineral inhibitors to achieve the best possible protection.

VW TL 774L (G12 EVO) / TL 774J (G13) / TL 774G (G12++) / TL 774F (G12+) / TL 774D (G12) · VOLVO TR-31854114-002 · ASTM D-3306 / D-4985 · BS 6580 · AFNOR R 15/601 · CUNA NC 956-16 · FVV HEFT R 443 · JIS K 2234 · KSM 2142 · NATO S-759 · UNE 26361-88 · EMPA

PACKAGING	CODE
5 L · 1.32 gal (US)	9010273
1000 L · 264.17 gal (US)	9010202



GRO GCC Puro Long time

100% organic coolant liquid

A 100% organic coolant, specially formulated to be used in any TYPE of cooling circuit, both sealed and open. Its basic mission is to cool the engine and lower the freezing point of water. Suitable for Euro 6 vehicles.

VW TL 774-D (G12) / TL 774-F (G12+) · ASTM D-3306 / 4985 · MB 325.3 · CHRYSLER MS-9176 / MS-12106 · MAN 324 · RENAULT 41-01-001 · LEYLAND TRUCKS LTS 22 AF10 · UNE 26361.88 · NATO S-759 · FORD WSS-M97B44-C · FORD WSS-M97B49-A · CUMMINS 90TB-4

PACKAGING	CODE	PACKAGING	CODE
5 L · 1.32 gal (US)	9010073	200 L · 52.83 gal (US)	9010033
25 L · 6.60 gal (US)	9010031	1000 L · 264.17 gal (US)	9010002



GRO Agua Destilada (Distilled water)

Water for batteries

Transparent liquid, colourless, odourless and miscible with almost all inorganic solvents. It does not present physical or chemical risks. Ion-free solution for the proper functioning and long life of your battery.

PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	9018081	200 L · 52.83 gal (US)	9018033
5 L · 1.32 gal (US)	9018073	1000 L · 264.17 gal (US)	9018002





36 Comerç St., Can Sunyer Industrial Estate
08740 Sant Andreu de la Barca (Barcelona) - Spain
Tel. +34 936 821 514
info@globalracingoil.com

globalracingoil.com



70085 / 09-2026