



PERFORMANCE **LUBRICATION**

LUBRICANTS

AND MAINTENANCE PRODUCTS



CATALOGUE

Motorcycle and gardening
and forestry machinery

globalracingoil.com



PRODUCT INDEX

<i>4-STROKE ENGINE LUBRICANTS</i>	<i>6 - 13</i>
<i>2-STROKE ENGINE LUBRICANTS</i>	<i>14 - 16</i>
<i>TRANSMISSION AND GEARBOX OILS</i>	<i>17 - 19</i>
<i>FORK LUBRICANTS</i>	<i>20 - 22</i>
<i>MAINTENANCE PRODUCTS</i>	<i>23 - 28</i>
<i>GARDENING AND FORESTRY MACHINERY LUBRICANTS</i>	<i>29 - 31</i>

GRO is the brand of lubricants, greases and maintenance products for the automotive industry in general, launched in 2000 by COGELSA, a company that develops, manufactures and markets high-tech lubricants and greases. Established more than 100 years ago in the area of Barcelona (Spain), it is present in more than 55 countries and on different continents.

Over the years, the company has accumulated extensive experience in different fields of industrial applications and works closely with various additive suppliers and research institutes to learn about the latest technologies, allowing the R&D teams to formulate special state-of-the-art lubricants.

GRO are high quality products for the automotive industry, designed and developed to meet the highest demands of engines, gearboxes and other mechanisms that require lubrication. Likewise, the maintenance products provide solutions to the rest of a vehicle's needs.

The extensive GRO range meets the standards of the most important associations (API, ACEA, JASO and ISO) and the technical specifications of motor car, motorcycle and heavy goods vehicle manufacturers.

GRO provides reliability to the mechanisms it lubricates, reduces their wear and tear and increases their durability. It also allows the highest performance to be obtained from them, because the particularities of GRO products allow the performance of all lubricated components to be maximized. In engines, reducing friction results in increased power.

GRO recommends riding responsibly.

GRO is recommended by:



GRO products approved by:



Certifications:



Member of:





RANGE OF GRO ENGINE AND TRANSMISSION LUBRICANTS

The renewal and update of the range, which affects engine and transmission lubricants, has been carried out with the following in mind:

- To meet more of the needs of different markets.
- To adjust formulations to create products that better meet manufacturers' specifications.

The range also comes in 1, 4 and 5 litre bottles, which have been designed and produced to:

- Be ergonomically more manageable.
- Improve the emptying of the lubricant.
- Provide greater stability due to its larger base.
- Secure stacking by incorporating 2 support points.
- Facilitate the removal of the bottle from the box, thanks to its new handle.
- Be more environmentally friendly.
- Label more noticeable and descriptive of the product.

Products Advisor



Find here the GRO products
your vehicle needs

LUBRICANTS SUCCESSFULLY USED IN THE MOST SEVERE CONDITIONS

GRO supplies lubricants and maintenance products to numerous top racing teams to meet the highest demands of their vehicles.





4-STROKE ENGINE LUBRICANTS

100% synthetic lubricants for 4-stroke racing engine and scooter

Synthetic 4-stroke engine lubricants

Mineral 4-stroke engine lubricants

100% synthetic lubricants for 4-stroke racing engine and scooter



GRO Factory 0W-30

100% synthetic tri-ester based lubricant

High-performance 100% synthetic lubricant developed with tri-ester technology to be used in any 4-stroke engine seeking maximum performance. Formulated with exclusive bases and specially selected additives, recommended for both competition and street engines subjected to great stress and high operating temperatures.

Under these conditions, it helps reduce internal wear of the different engine components thanks to the protective lubricant film it leaves on each component. It helps to improve performance due to its low viscosity, which directly affects low internal friction, maintaining optimal pressure in the lubrication system.

PACKAGING	CODE
1 L · 0.26 gal (US)	9009390
4 L · 1.06 gal (US)	9009360

PACKAGING	CODE
50 L · 13.21 gal (US)	9009343

GRO Factory 10W-50

100% synthetic tri-ester based lubricant

High-performance 100% synthetic lubricant developed with tri-ester technology to be used in any 4-stroke engine seeking maximum performance. Formulated with exclusive bases and specially selected additives, recommended for both competition and street engines subjected to great stress and high operating temperatures.

Under these conditions, it helps reduce internal wear of the different engine components thanks to the protective lubricant film it leaves on each component. It helps to improve performance due to its low viscosity, which directly affects low internal friction, maintaining optimal pressure in the lubrication system.

PACKAGING	CODE
1 L · 0.26 gal (US)	9044890
4 L · 1.06 gal (US)	9044860



GRO Factory 10W-60

100% synthetic tri-ester based lubricant

High-performance 100% synthetic lubricant developed with tri-ester technology to be used in any 4-stroke engine seeking maximum performance. Formulated with exclusive bases and specially selected additives, recommended for both competition and street engines subjected to great stress and high operating temperatures.

Under these conditions, it helps reduce internal wear of the different engine components thanks to the protective lubricant film it leaves on each component. It helps to improve performance due to its low viscosity, which directly affects low internal friction, maintaining optimal pressure in the lubrication system.

PACKAGING	CODE
1 L · 0.26 gal (US)	9009290
4 L · 1.06 gal (US)	9009260

PACKAGING	CODE
50 L · 13.21 gal (US)	9009243
200 L · 52.83 gal (US)	9009235



GRO Racing 5W-40

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for BMW, Aprilia, Moto Guzzi, Gas Gas, etc. where an SAE 5W-40 grade oil is recommended in some of its models.

API SP - JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9006490
4 L · 1.06 gal (US)	9006460

PACKAGING	CODE
50 L · 13.21 gal (US)	9006443
200 L · 52.83 gal (US)	9006435

GRO Racing 10W-30

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for Honda, who recommend a low evaporation SAE 10W-30 grade oil. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SP - JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9007390
4 L · 1.06 gal (US)	9007360

PACKAGING	CODE
50 L · 13.21 gal (US)	9007344
200 L · 52.83 gal (US)	9007335



GRO Racing 10W-40

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc. Particularly recommended for Suzuki, Kawasaki, Yamaha, etc. that recommend an SAE 10W-40 grade oil in some of their models. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SP - JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9040090
4 L · 1.06 gal (US)	9040060

PACKAGING	CODE
50 L · 13.21 gal (US)	9040043
200 L · 52.83 gal (US)	9040035

100% synthetic lubricants for 4-stroke racing engine and scooter



GRO Racing 10W-50

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc. Particularly recommended for KTM, Husqvarna, Moto Guzzi, etc. that recommend an SAE 10W-50 grade oil in some of their models. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SP - JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9007490
4 L · 1.06 gal (US)	9007460

PACKAGING	CODE
50 L · 13.21 gal (US)	9007443
200 L · 52.83 gal (US)	9007435

GRO Racing 10W-60

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc. Particularly recommended for KTM, Husqvarna, Moto Guzzi, etc. that recommend an SAE 10W-60 grade oil in some of their models. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9044990
4 L · 1.06 gal (US)	9044960



GRO Racing 15W-50

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc. Particularly recommended for Ducati, KTM, BMW, etc., who recommend an SAE 15W-50 grade oil in some of their models. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9041090
4 L · 1.06 gal (US)	9041060

PACKAGING	CODE
200 L · 52.83 gal (US)	9041035



GRO Racing 20W-50

100% synthetic tri-ester based lubricant

100% synthetic lubricant with tri-ester technology derived from competition for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which respond to Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc. Particularly recommended for Harley-Davidson, which recommends an SAE 20W-50 grade oil in some of its models. Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SP · JASO MA2

PACKAGING	CODE
1 L · 0.26 gal (US)	9042090
4 L · 1.06 gal (US)	9042060

PACKAGING	CODE
200 L · 52.83 gal (US)	9042035

GRO Scooter Extrem 0W-30

100% synthetic lubricant for scooter

100% synthetic, high-performance lubricant, recommended for 4-stroke scooters, both for use on the road and on urban roads. Formulated for all types of situations and weather. Meets Piaggio group engine specifications.

API SN · JASO MA

PACKAGING	CODE
1 L · 0.26 gal (US)	9009391



GRO Scooter Extrem MB 10W-30

100% synthetic lubricant for scooter

This 100% synthetic lubricant has been specially developed to deliver optimum performance in scooters and maxi-scooters – both older and newer models – fitted with 4-stroke engines, regardless of engine capacity. Its advanced formulation is ideal for vehicles with or without a catalytic converter, as well as for those without an oil-bath clutch.

API SL · JASO MB

PACKAGING	CODE
1 L · 0.26 gal (US)	9022490

100% synthetic lubricants for 4-stroke racing engine and scooter
Synthetic 4-stroke engine lubricants



GRO Scooter Extrem 5W-40

100% synthetic lubricant for scooter

100% synthetic lubricant specially designed for scooters and maxi scooters, old and modern, equipped with 4-stroke engines, all displacements, with or without post-catalytic systems. All scooters used in urban and interurban trips.

API SL · JASO MA

PACKAGING	CODE
1 L · 0.26 gal (US)	9003291
50 L · 13.21 gal (US)	9003244
200 L · 52.83 gal (US)	9003236

GRO Biker HC 10W-40

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and wet or dry clutch, engines that meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SM · JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	9041190	50 L · 13.21 gal (US)	9041143
4 L · 1.06 gal (US)	9041160	200 L · 52.83 gal (US)	9041135



GRO Scooter 10W-40

Synthetic scooter lubricant

Synthetic-based lubricant specially designed for scooters and maxi scooters, old and modern, equipped with 4-stroke engines, all displacements, with or without post-catalytic systems.

All scooters used in urban and interurban trips.

API SL · JASO MA

PACKAGING	CODE
1 L · 0.26 gal (US)	9005691
50 L · 13.21 gal (US)	9005643
200 L · 52.83 gal (US)	9005636



GRO Scooter Synt MB 10W-40

Synthetic lubricant for 4-stroke motorcycle engines

This synthetic lubricant has been specifically designed for scooters and maxi-scooters, both older and newer models, fitted with 4-stroke engines of any displacement. It is suitable for vehicles with or without a catalytic converter, as well as for those without an oil-bathed clutch, providing effective protection and balanced performance at all times.

API SN - JASO MB

ENVASE	CÓDIGO
1 L - 0.26 gal (US)	9022390

GRO Smart 10W-40

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use low-viscosity lubricants, which meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for Suzuki, Kawasaki, Yamaha, etc. where SAE 10W-40 grade oils are recommended.

API SN - JASO MA2

PACKAGING	CODE
1 L - 0.26 gal (US)	9001890
4 L - 1.06 gal (US)	9001860

PACKAGING	CODE
50 L - 13.21 gal (US)	9001843
200 L - 52.83 gal (US)	9001835



GRO Smart 15W-50

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and wet or dry clutch, engines designed to use high viscosity lubricants that meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for Ducati, KTM, BMW, etc. which recommend SAE 15W-50 grade oils.

Other applications: motorcycles without catalysts, scooters, quads, mopeds.

API SN - JASO MA2

PACKAGING	CODE
1 L - 0.26 gal (US)	9021890
4 L - 1.06 gal (US)	9021860

PACKAGING	CODE
50 L - 13.21 gal (US)	9021843
200 L - 52.83 gal (US)	9021835

Synthetic 4-stroke engine lubricants

Mineral 4-stroke engine lubricants



GRO Smart 20W-50

Synthetic lubricant for 4-stroke motorcycle engines

Synthetic lubricant for all types of motorbikes... 4-stroke engines, with or without an integrated gearbox and wet or dry clutch, engines that comply with Euro 2, 3, 4 and 5 emissions standards and are fitted with exhaust gas treatment systems, such as catalytic converters or exhaust air injection.

Other applications: motorbikes without catalytic converters, scooters, quads, mopeds...

API SN · JASO MA2

ENVASE	CÓDIGO
1 L · 0.26 gal (US)	9008490

GRO Spirit 20W-50

Mineral lubricant for 4-stroke motorcycle engines

A mineral-based lubricant formulated for all types of motorcycles 4-stroke engines, with or without integrated gearboxes and oil-bathed or dry clutch, engines designed to use high viscosity lubricants, which meet Euro 2, 3, 4 and 5 anti-pollution standards equipped with exhaust gas treatment systems such as: catalysts, air injection into the exhaust, etc.

Particularly recommended for Harley-Davidson, which recommend an SAE 20W-50 grade oil.

API SN · JASO MA2

PACKAGING	CODE	PACKAGING	CODE
1 L · 0.26 gal (US)	9002190	50 L · 13.21 gal (US)	9002144
4 L · 1.06 gal (US)	9002160	200 L · 52.83 gal (US)	9002135





2-STROKE ENGINE LUBRICANTS

100% synthetic lubricant, special for competition or high-performance 2-stroke engines, pre-mix and injection

Synthetic 2-stroke engine oil, pre-mix and injection

100% synthetic lubricant, special for competition or high-performance 2-stroke engines, pre-mix and injection



GRO Performance Off-Road 2T

100% synthetic lubricant for 2-stroke engines

100% synthetic lubricant based on esters, specially developed for competition, cross, enduro and trial engines. Due to its special formulation, it guarantees maximum protection in severe competition conditions, ensuring clean combustion and lower wear.

Developed for motorcycles with premix or separate lubrication system.

API TC+ · JASO FD

PACKAGING	CODE
1 L · 0.26 gal (US)	9020390

GRO Synt 10 2T

100% synthetic lubricant for 2-stroke engines

A 100% synthetic-base lubricant for high-performance 2-stroke engines. Special divination that reduces friction, prevents the formation of smoke and carbon deposits, extends the life of spark plugs, and increases cooling and engine performance. Recommended for modern injection systems.

API TC+ · JASO FD

PACKAGING	CODE
1 L · 0.26 gal (US)	9022190
50 L · 13.21 gal (US)	9022143



GRO Kart 2 2T

100% synthetic lubricant for karts

Extremely special 100% synthetic lubricant for 2-stroke gasoline engines that offers high lubricant film resistance and great load support. Its synthetic structure ensures maximum protection in very tough competition conditions.

API TC · JASO FD · ISO L-EGD

PACKAGING	CODE
1 L · 0.26 gal (US)	9020590



GRO Mix 3 2T

Synthetic lubricant for 2-stroke engines

A lubricant that combines basic oils and additives specially formulated for 2-stroke engines, with separate lubrication or premix which promotes the formation of an extraordinarily resistant film that protects the pistons from seizing and scratching even in the most adverse conditions. Its excellent lubricity reduces temperature and wear.

API TC · JASO FD

PACKAGING	CODE
125 ml · 0.03 gal (US)	9020893
1 L · 0.26 gal (US)	9020890

PACKAGING	CODE
4 L · 1.06 gal (US)	9020860
20 L · 5.28 gal (US)	9020853

GRO Scooter Oil 2T

Synthetic lubricant for 2-stroke engines


Synthetic pre-mix or injection lubricant for 2-stroke scooter engines equipped with automatic lubrication systems.

API TC · JASO FD

PACKAGING	CODE
1 L · 0.26 gal (US)	9020990
5 L · 1.32 gal (US)	9020920

PACKAGING	CODE
50 L · 13.21 gal (US)	9020943
200 L · 52.83 gal (US)	9020935





TRANSMISSION AND GEARBOX OILS

*Lubricants for 2-stroke and 4-stroke motorcycles
transmissions and gearboxes*



GRO Trans Extrem 75W

100% synthetic transmission lubricant

GRO Trans Extrem 75W is a 100% synthetic valve designed for high competition in the most extreme wear and high temperature conditions. Its high lubricating power, its EP properties and the great resistance of its film translate into lower friction, lower wear and reduced temperature. This means more efficient power transmission and longer life.

API GL-5

PACKAGING	CODE
1 L - 0.26 gal (US)	1039490
50 L - 13.2 gal (US)	1039443

GRO Trans Extrem 75W-140

Synthetic gear lubricant

Specially designed for these applications, it is a high performance oil for all aspects of clutch and gearbox lubrication, offering the ultimate in transmission and cardan shaft protection.

API GL-5

PACKAGING	CODE
1 L - 0.26 gal (US)	1039690



GRO Trans Synt 10W-40

Synthetic lubricant for motorcycle gearboxes

Specially designed for these applications, it is a high performance oil in all aspects of clutch and gearbox lubrication offering the ultimate in transmission and cardan shaft protection.

JASO MA

PACKAGING	CODE
1 L - 0.26 gal (US)	1035890
50 L - 13.2 gal (US)	1035843

*Lubricants for 2-stroke and 4-stroke
motorcycles transmissions and gearboxes*



GRO Trans Box 80W-90

Mineral gear lubricant

Specially designed for these applications, it is a high performance oil for all aspects of clutch and gearbox lubrication, offering the ultimate in transmission and cardan shaft protection.

API GL-4, GL-5

PACKAGING	CODE
1 L · 0.26 gal (US)	1038190

GRO Trans Box 85W-140


Mineral gear lubricant

Specially designed for these applications, it is a high performance oil for all aspects of clutch and gearbox lubrication, offering the ultimate in transmission and cardan shaft protection.

API GL-4, GL-5

PACKAGING	CODE
1 L · 0.26 gal (US)	1038290





FORK LUBRICANTS



GRO Fork Fluid 2,5W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1 L · 0.26 gal (US)	2026090

GRO Fork Fluid 5W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1 L · 0.26 gal (US)	2026190



GRO Fork Fluid 7,5W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1 L · 0.26 gal (US)	2026690



GRO Fork Fluid 10W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1 L · 0.26 gal (US)	2026290

GRO Fork Fluid 15W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1 L · 0.26 gal (US)	2026490




GRO Fork Fluid 20W

Synthetic lubricant for forks

A synthetic fork lubricant designed to meet the demands of modern suspension systems from Kayaba, Showa, Ohlins, WP and any other kind. The exclusive additive protects joints, prolonging their life and reducing leaks.

PACKAGING	CODE
1 L · 0.26 gal (US)	2026390





MAINTENANCE PRODUCTS

Products for motorcycle maintenance



GRO Chain Lube Spray

Chain lubricant spray

Lubricant specially formulated for all types of chains, including chains with seals (O-ring, X-ring, Z-ring), protecting them in the most severe conditions. Ideal for off-road vehicles. Its special additives provide a much higher film resistance than any conventional chain lubricant and it is also characterised by its great anti-wear properties.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091198

GRO Chain Lube Dry

Chain lubricant

PTFE lubricant for all types of chains, including chains with seals (O-ring, X-ring, Z-ring), developed to provide maximum protection under the most severe conditions. Ideal for both on the road and on urban streets vehicles.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5092298



GRO Chain Cleaner

Degreaser cleaner for chains

A powerful and effective degreaser that removes dirt (dust, sand, earth, oil and grease). Specially developed to clean all types of metal surfaces, especially O-ring, X-ring or Z-ring transmission chains, whether or not they have seals, of motorcycles or machinery.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5093099





GRO Filter Cleaner

Powerful cleaner for air filter

Filter Cleaner is an air filter cleaner specially formulated for all types of foam air filters, of low aggressiveness for foam and filter rubbers. It removes oil, mud and soil residues, improving filtration without damaging the filter's porous layer. Once clean and dry, the use of Foam Filter Oil is recommended for greasing.

PACKAGING	CODE
5 L · 1.32 gal (US)	5073373

GRO Foam Filter Oil / Spray

Lubricant for air filters

Foam filter oil and Foam filter oil spray, which provide superior filtration characteristics to ensure full engine performance while protecting internal components from contamination, both in old and new filter elements.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091298
1 L · 0.26 gal (US)	5091281



GRO Ultra 5

Lubricant for use in hydraulic clutches

Global Ultra 5 is formulated with high quality paraffin oils and selected additives.

PACKAGING	CODE
500 ml · 0.13 gal (US)	1100986



GRO Contact Cleaner Spray

Powerful degreasing cleaner

Contact Cleaner Spray is a high pressure spray formulated to clean and degrease all surfaces. This product dries quickly and leaves no residue, making it ideal for cleaning electrical contacts, spark plugs, carburettor components, etc., as well as plastic surfaces.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091598

GRO Multispray PTFE

Multifunctional lubricant with PTFE

Multifunctional lubricant with a special base and polytetrafluoroethylene (PTFE) formulated with oils, solvents and additives that give it great lubrication, penetration and protection power. It has highly lubricating properties, achieving optimal results in the lubrication of all types of mechanical joints, reducing friction and eliminating noise.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5090999



GRO Multilube

Unblocking and anticorrosive lubricant

High penetration lubricant spray, with multiple uses.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5090799



GRO Silicon Plus

Silicone-based polish

It is a silicone spray specially formulated for maximum performance in its applications. With an ultra-fine spray, it allows perfect control in the product application.

PACKAGING	CODE
500 ml · 0.13 gal (US)	5091899

GRO Global Limpiamotores

Powerful degreaser to clean engines

Global engine cleaner is a security solvent that is used to clean engines and parts as a substitute for other solvents such as petrol, oil, etc.

PACKAGING	CODE
50 L · 13.21 gal (US)	4070143



GRO Global Gel

Degreasing hand cleansing paste

This is a paste formulated with lanolin and anionic and non-ionic surfactants perfectly balanced in concentration to achieve an extraordinary degreasing cleaning action and effective removal of dirt, without causing skin irritation or dryness.

PACKAGING	CODE
1 K	5080467
10 K	5080446



GRO Global Wash Shampoo

Powerful special cleaner for motorcycles

Global Wash Shampoo is a degreasing liquid detergent for direct use that allows you to easily remove any type of dirt from all parts of the motorcycle. Its great cleaning capacity allows virtually effortless perfect cleaning, even with stubborn dirt (grease, mud, etc.).

PACKAGING	CODE
1 L · 0.26 gal (US)	5073081
5 L · 1.32 gal (US)	5073073

GRO Global Complex LT-2

Multifunctional grease for all types of use

Mineral-based and lithium complex soap grease with EP (Extreme Pressure) additives.

ISO – L – XBGEB 2

PACKAGING	CODE	PACKAGING	CODE
400 g	6080498N	45 K	6080441
5 K	6080455	180 K	6080432
20 K	6080444		



GRO Moto Coolant OAT

Specific coolant for motorbikes

Advanced, ready-to-use biodegradable coolant specifically designed to provide complete protection for motorbike engine cooling circuits. Formulated with OAT (Organic Acid Technology), optimised to keep the cooling system of motorbikes in perfect condition over time.

ASTM D 3306 / 4985 · BS 6580 · CUNA NC 956-16 · AS 2108-2004 · JIS K 224 · ÖNORM V 5123 · SAE J 1034

PACKAGING	CODE
1 L · 0.26 gal (US)	9016781



GARDENING AND FORESTRY MACHINERY LUBRICANTS

Lubricants for gardening and forestry machinery



GRO Global Motosierras

Neutral and paraffinic-based lubricant

Paraffin-based and neutral lubricant specifically formulated for the lubrication of chainsaws for conventional use.

PACKAGING	CODE
5 L · 1.32 gal (US)	1027056
200 L · 52.83 gal (US)	1027035
1000 L · 264.17 gal (US)	1027005

GRO Global Motosierras 150

Neutral and paraffinic-based lubricant

Lubricant with a paraffinic and neutral base with high viscosity that gives it a "high adhesiveness" appropriate for the lubrication of high-speed chainsaw chains. services (professional machinery for forestry work).

PACKAGING	CODE
5 L · 1.32 gal (US)	9151556
200 L · 52.83 gal (US)	9151535
1000 L · 264.17 gal (US)	9151502



GRO Chain BIO

Biodegradable lubricant for saws

Vegetable-based oil with high creaminess and adhesion, biodegradable for environmental protection.

PACKAGING	CODE
5 L · 1.32 gal (US)	1027276
200 L · 52.83 gal (US)	1027235



GRO Universal 4T 15W-40

Multigrade lubricant for gardening

Multigrade oil for all kind of 4-stroke engines. High thermal stability avoiding residue and sludge formation, detergency and dispersant power. Excellent antioxidant, antirust and anti-foaming properties.

API SG

PACKAGING	CODE
1 L · 0.26 gal (US)	9002491
5 L · 1.32 gal (US)	9002421
200 L · 52.83 gal (US)	9002439



36 Comerç St., Can Sunyer Industrial Estate
08740 Sant Andreu de la Barca (Barcelona) - Spain
Tel. +34 936 821 514
info@globalracingoil.com

globalracingoil.com



70008 / 09-2026